App. F. IX-4

1945-46

File No. 14-45

Previous References. ( )

Serial Nos. 8, 10, 12, 14, 17

P.W. 1955-56/Gen 74 451

28.9.46

Later References.

PRESERVE

GENERAL AND REVENUE SECRETARIAT

Serial Nos. Five

Part B for Sept 1946

SUBJECT

Loss of measurement book ~~no~~ in No 1 Sub Division Tenkasi

W. 1922 3 25.9.46

To the Chief Engineer for Irrigation
The Comptroller (Thru-H)

Directs that the increment of Mr. G. Krishna Swamy be passed over as usual

Loss of measurement books in the Sub Division at Tuticorin

1. In connection with the loss of two measurement books in No 1 Sub Div Tuticorin, the Chief Engineer observed that the books ought not to have been sent through a contractor and that he had issued instructions to Sub Div Officers not to send any Govt record with contractors in future. When the case was submitted for sanction to write off the books from the accounts, it was ordered by Government that the increment of the person responsible be stopped for six months. Along with the Chief Engineer's letter, a copy of report of 26.10.1944 of the Asst Engineer No 1 Sub Division, Tuticorin was received on the matter. With reference to the date of this report, it was gathered from the Civil List that Mr G. Krishnaswami, Asst Engineer, is the Sub Division Officer, and his name was included in the submission notes and orders in the matter have also been issued.

2. It is since learnt that the book

5348

in question were lost long before, during the incumbency of Mr. M. A. Tirunarachar, Asst Engineer, as the Sub Div Officer of that Sub division and that the explanations of parties concerned obtained are available in the records of the local office. It was not possible to make out these from the reports made to Government. Orders are therefore solicited to obtain a more detailed report with the explanations of the parties responsible for the loss of the books from the Chief Engineer so as to enable a modified order being issued in the matter.

Secy) 20/10

19/10/45

3. This ~~may~~ should have been done before issue of the G.O. However, since the party concerned appears to be diff from the one who has been considered as responsible for the loss, C.E.I. may be addressed.

~~Where is list of remarks~~

KJ. 20/10/45

4 Submitted with a draft letter to C.E.I.

Secy) 22/10

22/10/45

5 Issue

KJ 28/10

Issued in No. P.W.C. 14 dated 23-10-1945.

3700

Loss of measurement books of No1. Sub Division, Tuticorin

PUBLIC WORKS SECRETARIAT.

File No. of 194 .

Serial No.

Letter No. 5147 of 9.2.46 from the Chief Engineer for Irrigation.

6. In connection with the loss of measurement books of No1. Sub-div. Tuticorin, which were sent through a contractor for being delivered to a subordinate stationed in a mofussil place and which were lost by the contractor, Government ordered in G.O. No P.W. 1955-56/266.74-45-1 of 28.9.45, that the increment of the Sub-div Officer Mr. C. Krishnaswami, Asst Engineer, be put off by six months.

7. The Chief Engineer has now submitted the explanations of the parties concerned. It is seen therefrom that the measurement books were lost long back during the incumbency of Mr. M. A. Tirimalachar Asst Engineer, as Sub-div Officer of No1 Sub Division, Tuticorin. From his explanation it would appear that the two books were sent through the contractor to the subordinate at Kunnegal by the Sub-div clerk Mr. J. Venkatesiah without his knowledge. The clerk in his explanation has stated that he sent the books in good faith through the contractor who is the Vice President of Kunnegal Municipality just to save time but to his misfortune the packet was lost in transit. He begs to be excused.

8. The Chief Engineer states that the clerk has put in 30 years of service and will be superannuated in

WT 01094—GPB—80,000—26-2-41

Loss of Measurement-Books 3700

1950 and that it is a common practice in subdivs to send such measurements books through contractors. We therefore recommend that the clerk may be let off with a severe warning and that the accrued increment of Mr. G. Krishnaswami may be passed as usual.

Recd 26/2/46

9. The recommendation of the chief Engineer to grant the increment of Mr. G. Krishnaswamy asst Engineer who is not responsible for this and to ~~warn~~ warn the clerk for the mistake of sending the M.B. through the Contractor, may be approved

Secy) 26/2

10 W/r/t the loss of measurement-Books in No 1 Subdivn, Tumkur, Govt. passed orders that the increment of the A.E. Mr. G. Krishnaswamy ~~be put~~ in charge of the Subdivn be put off by six months. The C.E.I now brings to notice that the A.E. in charge when the books were lost was Mr. M.A. Tirumalachar & not Mr. Krishnaswamy. ~~The~~ Further the person responsible was the clerk of the Subdivn, who, without the knowledge of the A.E sent the mt books with the contractor, as it is the usual practice in ~~out of the way~~ the mofussil places. The A.E. is Mr. M.A. Tirumalachar is thus also not responsible, but the clerk who is about to retire now, may be warned and let off. The increment postponement against Mr. G. Krishnaswamy may also be cancelled. C.E.I's recommendns may be accepted.

Min P.W
Dewan
Thr.
Fin Secy.

Kd/27 3/46

21/V 11 The original file containing explanations written to me may be called for

Kd 3/46

U.O.No. 5529 28/2

FINANCIAL

4862

Serial No.

12) Submitted with a draft for appl.

Secy) 8/3

13) Issue

F.

Letter No. 6703/F. dated the 6th April 1946 from the Chief Engineer for Irrigation.

Forwards the file relating to the loss of measurement-books pertaining to works in No. 1. Sub Division, Tumkur.

14) Submitted with reference to para 11 supra. 15) From the Division office file, it is seen that the Supply Engineer called for the explanation of the Clerk in Oct 1944. Whether this was obtained from him then is not made clear. It is not to be found in the Div office file. Written statements and explanations which may have been obtained are not forthcoming. These are required by the Fl. Secy.

16) These will be called for from the C.E.)

Secy) 17/4/46

17) Yes

18) Submitted with a draft for appl.

19) Secy) 24/4

20) Issue

Loss of Measurement Books in Tumkur Sub Div. 5889

Letter No. 3732/E. dated 28.5.1946 from Chief Engineer for Irrigation.

States that the explanation of the concerned clerk has already been submitted and that pending final orders on the loss of the measurement books, approval to the grant of the increment accrued to Mr. G. Krishnaswami, Asst. Engineer, who is not responsible for the loss of the measurement books may be communicated.

2. The explanation of the clerk responsible for the loss and the explanation of the Asst Engineer who was in charge of Tumkur Sub Division when the books were lost, are flagged "P" and "Z".

OFFICE OF THE MINISTER FOR PUBLIC WORKS
5 JUNE 1946
9216

22. Submitted with reference to paras 11, 15, 16 and 17 supra.

25/5 23. This explanation of the clerk dt 10.12.45 was already in the file. What was wanted is the one furnished with reference to the S.E's orders dt 28/10/44. Written statements do not appear to have been taken at the time i.e. immediately after the loss of the Msr. Books was noticed. Submit with refs to paras 10 and 11.

25/5/46 24) Proposals as in para 10 may be sanc.

Min P.W. & Dewan Thro. Fin Secy

KW 28/5/46 28/5

DEWAN'S OFFICE
12 JUN. 1946
NO. 7923

FINANCE
U.O. No. 9032
29/5
BANGALORE

25) I do not agree to the modification of the Go already passed. This matter has been treated as such matter & reported to H.H. If the officer where increment is stopped is the wrong officer naturally ~~the~~ he should not be punished ~~but~~ the officer responsible punished. 26) I agree

KW 4/6/46 4/6 B 3/6 KW 7/6/46 10/6/46

5889

Dewan's Office

Continuation Sheet. P.W. File No. of Page

7923

27) It is a pity that the Sett should have wrongly mentioned that Mr G. Krishnaswami was the officer responsible in this case. He cannot of course be punished.

28) As regards Mr Dhoraiswacharer, I should like to know if the passage marked A in his explanation is a correct statement of the position

RW
15/6/46.

29) C.R.I. W/e.) Favr of views on the 2nd paragraph of the minute.

KW 17/6/46 17/6

30) Subs with a draft D.O.

17/6/46

31) Issue

KW 17/6/46

Issued in D.O. No. 8795 of 17/6/46

43 Pa 17/6

W.O. Letter No. 680/E of 19.7.46 from the Chief Engineer for Irrigation

32) The Chief Engineer has stated that the statement contained in Asst Engr Mr T. Tirumalachari's explanation indicates the correct position in regard to the measurement books and that the Subordinate is responsible for the custody after the books are handed over to him for audit and for their return also. This has reference to the order of

Loss of measurement books of No 1 Sub Div, Tuticorin

Dewan's Office

Continuation Sheet. 5889/D.H. File No. of Page

the Dewan in para 28 overleaf.

24/7/46 24/7.

33) Reg. para 27, it is regretted that the name of Mr. G. Krishnaswamy was mentioned in connection with the loss, instead of that of Mr. M. A. Tirumalachar, on the information given by the Secty which who were misled by the fact that no mention whatsoever was made of Mr. Tirumalachar in the C.R.I's report as being in charge of the subdivn at the time the book was lost and a report from Mr. G. Krishnaswamy who was in charge of the subdivn at the time when report about loss was made, also did not mention at all that he was not in charge of the subdivn at the time of the loss. These circumstances led the P.W. Secty to wrongly assume that the person in charge of the subdivn at the time of the report, viz. Mr. G. Krishnaswamy was the person responsible for the loss. The error is however very much regretted & the secty has been told to be more careful.

34) From the explanation of Mr. M. A. Tirumalachar it appears that the subdivn clerk sent the book with a surveyor (which is a very wrong procedure in itself) to the contractor who appears to have mislaid & lost them. The subdivn clerk is responsible for all mt books that go to the subdivn for audit and it is his responsibility to see that they are sent to the subordinates properly & safely. From all this it looks as if the clerk is mainly responsible as is also opined by the C.R.I. The punishment meted out to Mr. G. Krishnaswamy may be withdrawn and the clerk administered a severe warning

WAS III

Wadmark
OFFICE OF THE MINISTER FOR PUBLIC WORKS
27 JULY 1946
788

Min P.W. & Dewan

25/46

Loss of measurement book in Nos Sub Div Tumkur

Public Works Secretariat | File No. 404/P.W. of 194 . | [App. F. III-2

788

Serial No.

35) Granting that the explanation of the Asst. Engineer Mr. Thimmaiah is correct, does it absolve him of his responsibility. The Financial Secy may be consulted.

28/8/46.

36) Fin Secy w.l.c. 29/2/46

FINANCIAL U.O.No. Fl 903 19 BANGALORE

37) Compt with compliments for favour of a note re the above & also 'A' in the Secretary's note in the previous page

COMPTROLLER'S OFFICE S.O. No. 73 Date 5.8.46 Special Section BANGALORE

U.O.No.74/WAD.III dated the 20th August 1946.

Returned with Compliments:-

38) The Assistant Engineer's statement that the clerk is responsible for all measurement books that come to the Sub Division for audit purposes till they are returned to the Subordinates which is also stressed and supported by the P.W.Secretary in his note dated 25-7-46 cannot be considered as covered by rules though it may hold good

NOTE—Contn. Sheet.

Serial No.

D.O. P.W. C.14
23.10.45

5348

Dear Sir,

Loss of measurement books pertaining to works in No 1 Sub-Div. Tuticorin

With reference to G.O. No P.W. 1955-56 / Estabt 74-45-1 dated 28th Sept 1945, I am directed to state that it is since learnt that the parties responsible for the loss of the books is different from the one mentioned in the G.O. and to request you therefore to be so good as to ~~furnish a more detailed report~~ intimate the name of the A.E. who was in ch. of the sub division when the M.B's were lost and also ~~the explanations of the parties responsible for their loss and you~~ furnish his explanation.

Ans B
18/11

4/5/47
11/10

~~remarks thereon, very~~

~~[illegible]~~

[illegible] 22/10

23/10/41

[illegible] by BA [illegible]
Chief Inspector for Imports
Bangalore

22/10/43

No. 5147/E

To Sec.

Office of the Chief Engineer for
Irrigation in Mysore,
Dated Bangalore, 8th February 1946.

P. W. SECRETARIAT.
3700
Date 12.2.46

The Secretary to Government,
Public Works Department,
Bangalore.

SECRETARY TO GOVERNMENT
P. W., ELECTL & RYS.
Date 11/2

Loss of Measurement Books pertaining to works in No.1 Sub - Division, Tumkur.

Sir,

With reference to your D.O. letter No. C.14 dated 23-10-1945, I have the honour to state that it is reported by the Superintending Engineer, Mysore Circle that Mr. M.A. Thirumalachar, Assistant - - Engineer was in charge of the Sub Division when the measurement books were lost. The explanation of the Assistant Engineer received from the Superintending Engineer, Mysore Circle, is herewith enclosed. It may be seen therefrom that the Measurement books were sent - through the contractor by the Sub Division Clerk, Mr. J. Venkatesiah without the knowledge of the Assistant Engineer. The explanation of the Sub Division Clerk is also herewith enclosed.

2. Mr. J. Venkatesiah, Clerk, has put in 30 years of service in the Department and he attains the age of superannuation on 29-12.1950 The clerk is seen to have sent the Measurement books in good faith and as usual here and in other Sub Divisions also. He may therefore be kindly let off with a severe warning this time in the peculiar circumstances of the case. Government may kindly be pleased to permit me to pass the increments of Mr. G. Krishnaswamy as usual.

I have the honour to be,

Sir,

Your most obedient servant,

CHIEF ENGINEER FOR IRRIGATION.

GCS/8th.

To,

The Assistant Engineer,

No. I. Sub-Division,

T U M K U R.

Re: the loss of Measurement Books Nos.4183&4185.

Sir,

In obedience to your orders, I beg to bring t your kind notice that as already represented , the Surveyor at Kunigal wanted the measurement books urgently who had sent words for the same.

~~The packet was~~ I entrusted sent to Kunigal with Mr. K.-Venkatappa, Vice-President of Kunigal Municipality who is also a long standing respectable contractor in this Department.

Due to my ill-luck, the packet was lost by him on the way, as intimated by him in his written statement which is in the original file .

The books were sent with a respectable gentleman in good faith just to save time but the result was other-wise. I beg of you to kindly excuse me for this.

I beg to remain,

Sir,

Your most obedient Servant,,

Venkatappa

10-11-45

4

PUBLIC WORKS SECRETARIAT.

Draft for approval

No. PW 6318 / 8SR-74-45-8

Dated 15-3-46.

Enc.

FROM

The Secretary to Government, P. W. D.

To

The Chief Engineer for Irrig.
Bangalore

Subject: Loss of measurement books pertaining to works in No. 1 Sub Division, Tumkur

Sir,

With reference to your letter No. 5147/E dated 9.2.46, on the above subject, I am directed to request you kindly to forward the original file containing explanations, written statements etc. relating to the loss of the measurement books.

I have etc.

9/2/46

Secy. P. W. D.

WD 3147—GPB—20,000—4-6-29

Est 74-45-10

6703
No...../E
1 file

Office of the Chief Engineer for
Irrigation in Mysore,
Dated Bangalore, 4th April 1946.

6th

P. W. SECRETARIAT.
4860
Date 8.4.46

To

The Secretary to Government,
Public Works Department,
Bangalore.

Sir,

Loss of Measurement Books pertaining to works in No.1 Sub - Division, Tumkur.

With reference to your letter No.P.W.6318/Est. 74-45-8 dated 15-3-1946, I have the honour to forward herewith Tumkur Division Office file relating to the above subject, for - reference and return when done with.

2. This disposes of your Memo No.4357 dated 18-3-1946.

I have the honour to be,

Sir,

Your most obedient servant,

CHIEF ENGINEER FOR IRRIGATION.

GCS/4th.

Appendix E. (G.—1.)

SUBJECT: Loss of measurement books in No. 1 Sub Division Tumkur.

Section

File No. 74-45

Serial No. 12

Diary No. of letter replied to

No. PW 7175

General and Revenue Secretariat

( )

the 194 .

To.

The Chief Engineer for Irrigation.
Bangalore.

Date of issue 29/4/46

Signed by Mr. B.R.M.

Sir,

With reference to your letter No. 6703/5 dated 6.4.1946 forwarding the Tumkur Division office file on the above Subject, I am directed to state that as seen from the file the Supdg. Engineer, Mysore Circle has called for the explanation of the concerned clerk in Oct. 1944. Whether the explanation was obtained from him then is not clear as it is not in the file of the Division office.

List of enclosures

Copied by

Examined by

I am therefore to request you kindly to forward the written statements and explanations ~~which~~ regarding the loss of the measurement books which ought to have been obtained from the concerned parties, ~~for the information of Govt.~~ very early

The Division office file is here with returned for reference and retransmission — Yours etc.

21/4/46

Secy. to Govt. P.W.D.

21.4.46

24/4

24/4/46

Bwt 74-1

No. 7732/E
one file.

Office of the Chief Engineer for
Irrigation in Mysore,
Dated Bangalore, the 17th May 1946.

2155

To

SECRETARY TO GOVERNMENT
Date 22/5
ELECT & RYS

P. W. SECRETARIAT,
5889
Date 24/5/46

The Secretary to Government,
Public Works Department,
Bangalore.

Sir,

Loss of Measurement Books in No.1 Sub Division, Tumkur.

With reference to your letter No. P.W.7175/Est. 74-45-12 dated 29-4-1946 calling for the explanation of the clerk, who was responsible for the loss of measurement books in the above Sub Division, I have the honour to invite reference to this office No.5147/E dated 8/9-2-1946 wherein the explanation of the clerk was forwarded to you in original and the same is available in the file forwarded by you in your letter under reference. (vide flag F

2. Pending final orders on the above subject, I request that approval of Government to grant the increment accrued to Mr. G. Krishnaswamy, Assistant Engineer, who is not responsible for the loss of Measurement books may kindly be communicated as alregdy requested in this office No.5147 dated 9-2-1946 and No.5973 dated 12-3-1946.

3. The file returned by you is herewith retransmitted for reference and return when done with.

I have the honour to be,

Sir,

Your most obedient servant,

GCS/17th.

CHIEF ENGINEER FOR IRRIGATION.

No. P.W. 8795 on 17.6.46

PUBLIC WORKS SECRETARIAT,

Bangalore, 17th June 1946

Encl. 1.

Dear Sir,

Subject: Loss of measurement Book pertaining to works in No.1 Sub Division, Tumkur.

With reference to your letter No.7732 dated 21-5-46, I am directed to return herewith the explanation of Mr.B.Thirumulachar, Assistant Engineer, submitted in the above connection, and to request you to be so good as to intimate whether the passage marked 'A' in penultimate para of the explanation is a correct statement of the position.

Yours sincerely,

S/d. 17/6/46

M.Narasimhaiya, Esq., B.A., C.E., M.I.E.,
Chief Engineer for Irrigation,
Bangalore.

P.W

Case of Mr. G. Krishnaswamy, reg withholding of his promotion, may be expedited

KW 1/7/46.

Subs vide D.O. 1/7

reminder to C.R.D

Secy) 2/7

2/7/46

Appendix F. G.—1]

SUBJECT Loss of measurement book pertaining to works in NOT Subdn, Tumkur.

Diary No. of letter replied to

General and Revenue Secretariat

( )

the 194 .

Date of issue 11.7.46

Signed by

List of enclosures

Copied by

Examined by

Section

File No.

Serial No.

No. P.W. 200 Urgent

To

Dear Sir,

I write to invite reference to D.O. letter No. P.W. 8795 dated 17th June 1946 on the above subject and to request that the particulars referred to therein may be kindly furnished very early.

Yours sincerely

K.M.4.7.46.

Mr Narasimhaiya Esq. B.A., C.E. Selling Engineer for Works Bangalore

M. NARASIMHAIYA, Esq., B.A., C.E., M.I.E.(Ind.),
Chief Engineer for Irrigation.

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE, IRRIGATION.

D. O. No. ~~8795~~ 680/E

Dated Bangalore the 19.7.1946

SECRETARY TO GOVERNMENT
Date 19/7

P. W. SECRETARIAT
404
23/7/46

Dear Sir,

Loss of Measurement Book pertaining to works in No.1 Sub Division, Tumkur.

With reference to your D.O.letter No.8795 dated 17th June 1946, enquiring if the passage marked 'A' in penultimate para of the Assistant Engineer's explanation is a correct statement of the position, I write to inform you that the statement made by the Assistant Engineer indicates the correct position in regard to the Measurement Books. The Sub Division Clerk is responsible for the custody after they are handed to him for audit and their return also.

The enclosures received with your D.O.letter under reference is herewith retransmitted.

Yours Sincerely,

M. Narasimha

K.D.Joshi, Esq., M.A.,B.E., M.R.San.I.(Eng), M.I.E.(Ind),
A.M.I.Struct.E.(Eng).,
Secretary to Government,
Public Works Department,
Bangalore.

hi[redacted]umalachar, B.E.,
ss[redacted]tant Engineer

Office of the Assistant Engineer,
No. 1 Sub Division,
Bangalore , dated 5th December 1945.

No. 568
Encl. one

The Executive Engineer,
Bangalore Division,
Bangalore.

ir,

Re:- Loss of measurement Books Nos. 4139 and 4185 in No. 1 Sub Divisi
Tumkur.
======

With reference to your D.O.no. 95 dated 26th November 1945 enclosing in original the memo No. Confidential 6464-5 dated 24th November 1945 received from the Superintending Engineer, Mysore Circle, Mysore, askir me to submit my explanation, I have the honour to submit my explanatior as follows:

Sent to SE Mc with 32 Tumkur 51

The above measurement books belonging to Kunigal Section were sen by the Sub Division Clerk through one Mr. Venkatappa, Contractor, Kuni without my knowledge and I have submitted my report to that effect; After obtaining early enough statements both from the clerk and the ~~xxxxx~~ contractor I have submitted my report to the Executive Engineer, Tumkur Division. In the absence of the exact copies of the these statements and the report, I can only state from memory, that firstly the clerk has admitted his having sent the books himself and the ~~contr~~ contractor has stated that he took the books from the clerk, and misla them while they were in his possession.

My report and the statements are with the Superintending Engi Mysore Circle, Mysore and the Superintending Engineer has also ma report to the Chief Engineer for Irrigation in his letter No. 114 1-11-45 stating that measurement books were sent by the clerk wit the knowledge of the Assistant Engineer (vide 1st portion of the No. 2902/E dated 14-11-45 from the Chief Engineer for Irrigation Superintending Engineer, Mysore Circle, Mysore 1st six lines) and may be got from ~~his~~ him if necessary.

I am not aware of any further report submitted again by the or the Assitant Engineer now in charge of the No. 1 Sub Division, in this matter as they are not referred to me after I left the pl... as such I am not in a position to offer any further explaration wit knowing the contents of such letters and reports etc. of the Assis Engineer.

If, in his further report, the clerk has gone back upon h

If, in his further report, the clerk, has gone back to his previous report, ~~which I had submitted, while I was in charge,~~ which the present Assistant Engineer has submitted (vide his letter No. 455 dated 26-10-44 to the Executive Engineer, Tumkur Division, as seen from the letter enclosed to me), I can only state that it is not-truth. The measurement books were lost, while they were with the contractor and the clerk gave them to the contractor without my knowledge. In this connection I may be permitted to state that I have never allowed at any time in my service, any of my clerks to send measurement books to the subordinates, through the contractors and in this particular instance also would not have allowed this to happen if I ~~had~~ had any chance to know it.

The Sub Division Clerk is responsible for all the measurement ~~boos~~ books that come to the sub-division for audit purposes, till they are sent to the subordinates and it will be his responsibility to see that they are sent to the subordinates properly and safely and the Assistant Engineer comes to know only when there is any delay in the sending of books, or when they are not properly sent etc.

In the absence of definate records, I have submitted this explanation from what I could remember and if any more points require to be answered I request that I may be given the file of records on the subject, when I will do the needful. The original reference is here with the [illegible]

I have the honour to be,
Sir,
Your most obedient servant,

Mahimanalaya
5.12.45

Assistant Engineer,
No. 1 Sub Division,
Bangalore.

876-77/B

Office of the Chief Engineer for
Irrigation in Mysore,
No..... Dated Bangalore, 2nd September 1946.

3rd

P. W. SECRETARIAT.
1286
Date 5.9.46.

TO ARY TO GOV
Pls. where this!
3/7/46
ELECTL & RYS.

The Secretary to Government,
Public Works Department,
Bangalore.

Sir,

Loss of Measurement Book pertaining to works in No.1 Sub Division, T u m k u r .

I have the honour to invite reference to this office letter No.680/E dated 19-7-1946 on the above subject and to request that orders of Government thereon may kindly be communicated early.

I have the honour to be,
Sir,
Your most obedient servant,

M Narasimha
CHIEF ENGINEER FOR IRRIGATION.

GCS/2nd.

Proceedings of the Government of His Highness
the Maharaja of Mysore.

Read -

G.O.No.P.W.1955-56/Est.74-45-1 dated 28th September 1945 sanctioning the proposal to write off from accounts the lost measurement books Nos.4139 and 4185 in No.1 Sub Division, Tumkur, and directing that the next increment of Mr.G.Krishnaswamy, Assistant Engineer, be put off by six months on that account.

2. Correspondence ending with D.O.letter No.680/E dated 19-7-46 from the Chief Engineer for Irrigation stating that the measurement books were lost during the incumbency of Mr.M.A.Tirumulachar, Assistant Engineer, as Sub Division Officer of No.1 Sub Division, Tumkur, Mr.J.Venkatesiah, the Sub Division Clerk, being primarily responsible for their loss and requesting sanction to the increment of Mr.G.Krishnaswami, Assistant Engineer, being passed as usual and recommending that Mr.J.Venkatesiah, the Sub Division Clerk, may be let off with a severe warning.

Order thereon No.P.W. Dated, Bangalore, Septr.1946

In the special circumstances of the case, as reported by the Chief Engineer, Government are pleased to direct, in modification of the Government Order dated 28th September 1945 read above, that the increment of Mr.G.Krishnaswami, Assistant Engineer be passed as usual.

2. Government also direct that Messrs.M.A.Tirumalachar, Assistant Engineer and J.Venkatesiah, Clerk, be warned to be careful in future.

Secretary to Government,
Public Works Department.

To

The Chief Engineer for Irrigation (with ..... file)

The Comptroller to Government (through the Fl.Sectt)

TSRN.

G. R. S. App. F VI—G. 2]

SUBJECT: Loss of Measurement books in Nollabad Div. T. Gowdar

Diary No. of letter replied to .....

General and Revenue Secretariat

( )

the 19 .

Date of issue 25.9.46 19

Signed by B. B. R.

May this be—

(i) printed?

(ii) treated as a standing order?

(iii) published in the Gazette, English Part?

(iv) translated?

(v) placed at the disposal of the Press?

(vi) published in the Gazette, Kannada Part?

Section

File No. 74-45

Serial No. 17

Proceedings of the Government of His Highness the Maharaja of Mysore.

Read—

G.O. No PW 1955-56/ET 74-45-1 dated 28-9-1945 sanctioning the proposal to write off from the last accounts Measurement books Nos 4139 and 4185 in Nollabad Division, Gadag and directing that the next Order thereon.—No.

Increment of Mr. G. Krishnaswamy, Asst Engr, ~~who was responsible for the loss of the above measurement books~~, be withheld by six months on that account.

2. Correspondence ending with the letter No 680/E dated

19.7.1946 from the Chief Engineer for Irrigation stating that the measurement books were lost during the incumbency of Mr. M.A. Tirumalachar, Assistant Engineer, as Sub Dn Officer of Sub Dn. Tirutani, ~~that~~ Mr. J. Venkatesiah, the Sub Dn Clerk, being ~~was~~ primarily responsible for the loss and requesting sanction to the increment of Mr. G. Krishnaswami, Asst Engr, being passed as usual, and ~~[illegible]~~ recommending that Mr. J. Venkatesiah, the Sub Dn. Clerk, ~~who has put in 30 years of service~~ may be let off with a ~~[illegible]~~ severe warning.

Order thereon No. P.W. 1922-3 Dated 25.9.46

List of Enclosures

In the special ~~circumstances~~ circumstances of the case, as reported by the Chief Engineer, Govt are pleased to direct, in modification of the Go dated 28.9.1945 read above, that the increment of Mr. G. Krishnaswami, Asst Engr be passed as usual.

Copied by

Examined by

G. R. S. App. F. G. 3

GENERAL AND REVENUE SECRETARIAT.

(*Continuation sheet draft form.*)

2 Govt also directs that Messrs N. A. Tirimalacharar, Asst Engr, and J. Venkatarah, Clerk, be warned to be careful in ~~[illegible]~~ future

KW 12/9/46

Secy to Govt

OW sepn 9/9

To

The CE for [illegible] (with [illegible])

The Comptroller (Tech Sheet)

9/9/46.

9/9/46.